

SUPERIOR ENGINEERING INC.

SUPERIOR WORK PLATFORMS

NOT DESIGNED TO COMPETE WITH FLIMSY IMPORTS




NOT YOUR AVERAGE PLATFORM

SE SUPERIOR 1-800-359-3052
ENGINEERING WWW.SUPERIORENG.COM

SUPERIOR WORK PLATFORMS

Not designed to compete with flimsy imports

**HEAVY DUTY CONSTRUCTION
STEEL CONSTRUCTION
ALUMINUM CONSTRUCTION
ORDER PICKER PLATFORMS
PICKING PLATFORMS
FURNITURE PLATFORMS**



**SE SUPERIOR
ENGINEERING**

1-800-359-3052

WWW.SUPERIORENG.COM

SUPERIOR WORK PLATFORMS

PLATFORM SIZES (INCHES)

W x L

40 x 40
40 x 42
40 x 48
42 x 48
48 x 48
48 x 54
48 x 60
48 x 66
48 x 72
48 x 84
48 x 96
48 x 102
54 x 40
54 x 42
54 x 48
54 x 54
54 x 60
54 x 66
54 x 72
54 x 84
54 x 96
54 x 102
60 x 40
60 x 42
60 x 48
60 x 54
60 x 60
60 x 66
60 x 72
60 x 84
60 x 96
60 x 102

For sizes not listed
contact Superior Engineering.

STANDARD

- Three inch high kick plate with handrails
- Fork pockets run lengthwise
- Fork pocket standard 2.5 x 5.5 inside dimension
- Steel or Aluminum Construction

OPTIONS

- Handrail on one side
- Handrails on three sides
- Load Backrest with mesh cover
- Overhead Guard (order picker type)
- Casters
- Diamond deck or smooth decking option
- Bolt-on, pallet-grab or bolt on retainment
- Steel or Aluminum construction
- Multiple length and widths available

Notice: Work platforms for order pickers will require the dimension specifications from the top of the forks to the operators platform, the fork thickness, width, length and maximum fork spread.